US PTO Cust. No. 25280

Case No. 2102REI

11.(Amended) The airbag fabric of claim 10 wherein the thickness of said [coating or laminate] film is

from 0.1 to about 3.5 mils.

5

14.(Amended) The airbag fabric of claim 3 wherein said [coating or laminate] <u>film</u> comprises polyurethane.

15.(Amended) The airbag fabric of claim 14 wherein the thickness of said [coating or laminate] film is from 0.1 to about 3.5 mils.

De

18.(Amended) The airbag fabric of claim 1 wherein the thickness of said [coating or laminate] <u>film</u> is from 0.1 to about 3.5 mils.

ADD THE FOLLOWING NEW CLAIMS:

21.(New) An airbag fabric for incorporation within an airbag cushion comprising a woven fabric substrate, at least a portion of which is coated with materials selected from the group consisting of polyurethane, polyacrylate, polyamide, polyester, and copolymers thereof, wherein said woven fabric substrate has a cover factor below about 1900, and wherein the air permeability of said airbag fabric is less than about 0.5 cfm under 124 Pa pressure at about 25°C.

22.(New) The airbag fabric of Claim 21 wherein said cover factor below about 1800.

23.(New) The airbag fabric of Claim 22 wherein said cover factor below about 1775.

US PTO Cust. No. 25280
24.(New) The airbag fabric of Claim 23 wherein said cover factor below about 1750.

25.(New) The airbag fabric of Claim 22 wherein said coating comprises polyurethane.

26.(New) The airbag fabric of Claim 23 wherein said coating comprises polyurethane.

27.(New) The airbag fabric of Claim 24 wherein said coating comprises polyurethane.

28.(New) The airbag fabric of Claim 21 wherein the thickness of said coating is from 0.1 to about 3.5 mils.

29.(New) The airbag fabric of Claim 25 wherein the thickness of said coating is from 0.1 to about 3.5 mils.

30.(New) The airbag fabric of Claim 26 wherein the thickness of said coating is from 0.1 to about 3.5 mils.

31.(New) The airbag fabric of Claim 27 wherein the thickness of said coating is from 0.1 to about 3.5 mils.

32.(New) An airbag cushion comprising the airbag fabric of Claim 21.

33.(New) An airbag cushion comprising the airbag fabric of Claim 25.

US PTO Cust. No. 25280 Case No. 2102REI

34.(New) An airbag cushion comprising the airbag fabric of Claim 26.

4

35.(New) An airbag cushion comprising the airbag fabric of Claim 27.

36.(New) An airbag cushion comprising the airbag fabric of Claim 28.

37.(New) An airbag cushion comprising the airbag fabric of Claim 29.

38.(New) An airbag cushion comprising the airbag fabric of Claim 30.

39.(New) An airbag cushion comprising the airbag fabric of Claim 31.

40.(New) An airbag fabric for incorporation within an airbag cushion comprising a woven fabric substrate, at least a portion of which is coated or adhered to a film, wherein said woven fabric has a cover factor below about 1775 and fibers having deniers equal to or less than 525, and wherein the air permeability of said airbag fabric is less than about 0.5 cfm under 124 Pa pressure at about 25°C.

41.(Amended) The airbag fabric of claim 40 wherein said woven fabric substrate is adhered to a film comprising materials selected from the group consisting of polyurethane, polyacrylate, polyamide, polyester, and copolymers thereof.